



At the centre of all life is a place from which energy flows. In the heart of Kompally, this is Bonsai Cedar, the new urban address inspired by today's modern lifestyles. This unparalleled development consists of 90 elegantly designed residential apartments.

Smart and sleek, inviting and exclusive, the arbor experience takes cosmopolitan dwelling to the next level.





cedâr





FOUNDATION & STRUCTURAL FRAME

RCC framed structure designed to relevant IS CODES & ZONE II compliance.

SUPERSTRUCTURE

Table moulded fly ash or porotherm bricks.

CAR PARKING

VDF flooring or Parking tiles.

PLASTERING

INTERNAL Cement plastering with sponge finish.

EXTERNAL Two coats of cement plastering with sponge finish with grooves etc. as per the elevation design from Archiects.

DOORS

MAIN DOOR MS doors of Shakthi Hormann or equivalent with hardware of reputed make as per architect.

INTERNAL DOORS MS doors of Shakthi Hormann or equivalent witl

hardware of reputed make as per architect

 $\label{lem:final_problem} \textit{FRENCH DOORS UPVC framed doors with } 5 \textit{mm float glass and all sliding paneled shutters}.$

WINDOWS UPVC framed shutters with float glass with suitable finishes as per design.

PAINTING

INTERNAL Luppam finish with emulsion paint for walls & ceiling.

EXTERNAL Exterior emulsion paint in combination with textured finishes and appropriate cladding as per elevation.

FLOORING

 $INTERNAL\ Living: 600*600\ mm\ vitrified\ tiles.\ Or\ (Architects\ suggestion)$

Bed rooms: 600*600 mm vitrified tiles. Or (Architects suggestion)

Master bedroom: 600*600 mm vitrified tiles. Or (Architects Suggestion)

Kitchen: 600*600 mm vitrified tiles. Or (Architects suggestion)

STAIRCASEMarble/ Granite/ Stepper tiles TOILETS, UTILITY Anti skid ceramic tiles

TERRACE Cement rendered with grooves and water proofing.

TILES DADO

KITCHEN Ceramic Tiles dado up to 18" inches height above kitchen platform.

UTILITY Glazed ceramic tiles dado up to 3' height.

TOILETS Glazed ceramic tiles dado up to door height.

KITCHEN/ UTILITY

PLATFORM & SINK Granite platform of 25 sft with stainless steel sink.

WATER CONNECTIONS Raw water supply from overhead tank.

UTILITY Provision for washing machine & wet area for washing utensil etc.,

TOILETS AND PLUMBING

SANITARY FITTINGSAll toilets will consist of EWC of Cera or equivalent make. (Floor Mounted) TAPS—CP fittings of Hot and Cold water mixer with shower, ablution tap, Pillar cock for the Washbasin, Bibcock for utility, Health faucets and sinkcock will be provided in kitchen of make Jaguar esco or equivalent.

GEYSER POINTS Geyser points will be provided in all toilets in connection with single geyser CONDUITING CPVC and PVC conduiting of Hindware or equivalent make.

ELECTRICAL

MAIN DISTRIBUTION POINT each unit with Meter board, requivalent with Great white of BED ROOMS Plug point for T make, Power outlets for AC in and fan points shall be provided KITCHEN Power plug for comixer / grinders and all necessary for two toilets and switch provision UTILITY Power provision for EXTERIOR All necessary power outlets.

CABLE TV

Cable TV provision in living ro

INTERNET

One internet connection poin

WATER SUPPLY SYSTEM

Overhead tank domestic water

GENERATOR POWER BACK

Full Power Backup for all light

STREET LIGHTING

LED Street lighting as per the

MISCELLANEOUS FACILITES

All miscellaneous facilites like and hard landscaping etc. to chitectural consultants.

RAILING

STAIRCASEMild steel staircas SITOUT Mild steel railing as TERRACE Parapet Wall of 36

WATERPROOFING

Waterproofing will be done o

CCTV CAMERAS

CCTV Cameras will be provid

SOLAR FENCING

Solar fencing will be provided

LIFTS

High speed lift 1m/sec of rea

GENERATORS

Sound proof generators of re

3 Phase power supply with copper wiring for necessary MCB, switches Great white or requivalent wiring.

V & Audio systems etc, and switches of reputed bed room, Plug points. All the necessary light ed as per design.

oking range, chimney, refrigerator, microwave ovens, sary lights and points shall be as per design.

sary lights and points shall be as per design. ets for geyser for one toilet.(commom geyser for on outside toilet)

washing machine.

er / lights point for parking and exterior spaces.

om and Master Bedroom.

t in each individual unit.

er supply system.

UP

s and tans.

approved layout and design.

rain water harvesting pits, STP facility, transformer yards, soft be provided in accordance to the design details provided by ar-

e railing. per architect design.

b" up to standard height and design.

n the terrace, toilets and utility areas.

ed for the security purpose throughout the project.

on the boundary wall.

uted make.

puted make.



LOCATION MAP



Project Proximity

10mins to Dundigal & Medchal ORR Exit

10mins to Proposed Kompally's Gateway IT Park

30mins to Kukkatpally/JNTU

35mins to Miyapur X Roads

PREVIOUS PROJECTS





Bonsai Homes, Tellapur 2015 - Completed, 215 Units





Bhuvi Villas, Siddipet 2022 - Completed, 71 Units

arbour



Arbour, Tellapur 2021 - Completed, 182 Units





Dev Dar, Siddipet 2022 - Completed, 50 Units